ZAU OUTAGE Friday September 26, 2014

**CDM Tools at Work** 

CDM General Session March, 2015



## ZAU OUTAGE

- 1. This is not a wrap up or final review of the event
- 2. Controllers working in real-time made this work
- 3. This is not about what the ATCSCC did
- 4. Collaboration throughout the FAA and user community was necessary to find solutions
- 5. CDM products played an important role in the efforts to manage traffic


## DAY ONE

- 1042z: ZAU called ATCSCC terminal NTMO and declared ATC Zero due to fire
- 1054z: ZAU advised ATCSCC they evacuated due to fire
- 1055z: DEN inquired about status of ZAU. ATCSCC advised DEN that ZAU declared ATC Zero due to fire and evacuated
- 1053z: ATCSCC activated contingency plan/hotline
- 1058z: ATCSCC: All Call conference: initially for a 2<sup>nd</sup> tier GS (flights to or through ZAU), then quickly agreed to and issued a nationwide GS
- 1103z: 1st conference with all affected facilities
- 1106z: Coordinated and issued several reroutes for ZAU
- 1130z: ATCSCC requested TFR with AJR 2 due to helicopters in ZAU area
- 1131z: Acting Director Central Service Area South set up situational room in ZKC
- 1133z: AJR 2 working with Central Service Area to issue a TFR
- 1139z: ATCSCC activated Diversion Recovery Tool for flights to ZAU

There were 220 flight in ZAU airspace between the time of 1000Z-1130Z.




### **ORD**




## **MDW**

■ AVERAGE ■ 9/26-29/2014




## **C90**


■ AVERAGE ■ 9/26-29/2014




#### ZAU Divested Airspace and underlying TRACONs


All TRACONs in color are SFC to 150 except C90 which is SFC to 170






#### MDW Arrival/Departure Map











## **CDM Products**



### **FEA/FCA** and **AFPs**



# **Summary**

- CDM products played a long term major role in airspace management and recovery
- CDM did not do this work solely with emergency or contingency management in mind
- The CDM community has provided proven value in developing collaborative and useful solutions
- Collaborative tools and solutions allow facilities and customer to respond quickly to changing conditions